

Adaptive prescribed burning in Australia for the early 21st Century-context, status, challenges

Russell-Smith, Jeremy; Mccaw, Lachie; Leavesley, Adam

Published in:
International Journal of Wildland Fire

DOI:
[10.1071/WF20027](https://doi.org/10.1071/WF20027)

Published: 21/04/2020

Document Version
Publisher's PDF, also known as Version of record

[Link to publication](#)

Citation for published version (APA):
Russell-Smith, J., Mccaw, L., & Leavesley, A. (2020). Adaptive prescribed burning in Australia for the early 21st Century-context, status, challenges. *International Journal of Wildland Fire*, 29(5), 305-313.
<https://doi.org/10.1071/WF20027>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Adaptive prescribed burning in Australia for the early 21st Century – context, status, challenges

Jeremy Russell-Smith^{A,D,E}, Lachie McCaw^B and Adam Leavesley^{C,D}

^ADarwin Centre for Bushfire Research, Charles Darwin University, Darwin, NT 0909, Australia.

^BBiodiversity and Conservation Science, Department of Biodiversity, Conservation and Attractions, Western Australia Government, WA 6983, Australia.

^CFire Management Unit, ACT Parks and Conservation Service, Australian Capital Territory Government, ACT, Australia.

^DBushfire and Natural Hazards Cooperative Research Centre, 340 Albert Road, East Melbourne, Vic. 3002, Australia.

^ECorresponding author. Email: jeremy.russell-smith@cdu.edu.au

Abstract. Despite evident advances in knowledge and understanding concerning the application of prescribed burning for delivering benefits in wildfire control and a variety of sociocultural, economic and environmental outcomes, the practical application of prescribed burning in Australia is increasingly administratively and logistically complex, often controversial and climatically challenging. This series of papers does not address the merits or otherwise of prescribed burning – we accept the lessons from antiquity and recent history that the use of prescribed fire in contemporary Australia is essential for reducing, although not always being able to deliver on, wildfire risks and meeting a variety of societal and environmental needs. This special issue focuses on several fundamental adaptive management and monitoring questions: are we setting appropriate management targets? Can these targets and associated indicators be readily measured? Can we realistically deliver on those targets? And if so, what are the costs and/or trade-offs involved? The 10 solicited papers included here provide a sample illustration of the diversity of approaches currently being undertaken in different Australian regions to address complex adaptive management and monitoring challenges.

Additional keywords: adaptive management, adaptive monitoring, fire management, fire regimes.

Received 21 February 2020, accepted 18 March 2020, published online 21 April 2020

Introduction

The application of prescribed burning for a variety of landscape-scale management purposes has an ancient tradition in Australia. From the arrival of people at least 65 000 years ago (Clarkson *et al.* 2017), landscape burning doubtless was applied to fashion habitats and facilitate hunting and deployed in all manner of cultural activities. Indigenous burning has been implicated in the demise of megafauna (e.g. Flannery 1994; Miller *et al.* 2005a; Johnson *et al.* 2016; Saltré *et al.* 2016) and changed habitat conditions (e.g. Singh *et al.* 1981; Miller *et al.* 2005b), although these putative impacts need to be appreciated in the context of precarious Late Tertiary climate variability (Price *et al.* 2011; Sakaguchi *et al.* 2013; Wroe *et al.* 2013; Cohen *et al.* 2015). Prehistoric burning practices, and the scales over which these were applied, doubtless also have changed markedly through time. For example, given the changes in occupation patterns, population sizes, technological development and mobility evident in the archaeological record since the mid-Holocene (i.e. the last ~5000 years), the continental patterning and application of burning practices are likely to have developed only over the past few thousand, especially the last 1500 years (Smith 2013; Williams *et al.* 2015).

The historical and artistic record associated with early (late 18th–mid 19th Century) European settlement provides us with limited, mostly localised, occasionally regional, typically tantalising glimpses of Indigenous (Aboriginal) people's burning practices and associated vegetation conditions at that time. Most prescient was the explorer Thomas Mitchell (1848, p. 412), who, after various expeditions through what is now central-western New South Wales, famously observed that 'fire, grass, kangaroos, and human inhabitants, seem all dependent on each other for existence in Australia'. Revisiting that record, it is only in recent decades that the magnitude and complexity of Indigenous landscape management and modification have begun to be recognised (Nicholson 1981; Pyne 1991; Bowman 1998), especially that associated with agricultural economies in prehistoric temperate south-eastern and south-western Australia (Hallam 1975; Benson and Redpath 1997; Abbott 2003; Gott 2005; Gammage 2011; Pascoe 2014; Jurskis 2015). Reconstructions of traditional Indigenous landscape burning practices based on historical accounts have been undertaken also for relatively less modified landscapes in central (Kimber 1983), and especially northern Australia (Braithwaite 1991; Fensham 1997; Crowley and Garnett 2000; Vigilante 2001; Preece 2002).

In addition to these historical accounts, there is a rich ethnographic record, especially for remote and relatively culturally intact central (Gould 1971; Kimber 1983; Latz 1995; Bird *et al.* 2005; Burrows *et al.* 2006; Bliege Bird *et al.* 2008, 2012) and northern Australia (Thomson 1949; Jones 1975, 1980; Crawford 1982; Haynes 1985; Russell-Smith *et al.* 1997, 2003; Bowman *et al.* 2001, 2004; Vigilante *et al.* 2009), including growing numbers of Indigenous perspectives (Yibarbuk 1998; Yibarbuk *et al.* 2001; Garde *et al.* 2009; McGregor *et al.* 2010; Ansell *et al.* 2020; McKemey *et al.* 2020). By contrast, and despite growing recognition of and interest in Indigenous fire knowledge traditions (e.g. Ens *et al.* 2017), it is salutary that similarly detailed records of Indigenous landscape burning practices are not readily available for vast areas of southern, especially south-eastern, Australia.

Much of our contemporary understanding of the cultural and ecological significance of Indigenous fire regimes is indebted to Rhys Jones' (1969) seminal paper, 'Fire-stick farming'. Jones queried the view prevalent at that time that the Australian landscape was 'natural'; instead, he posited that contemporary Australia has been substantially modified (farmed), particularly through the agency of fire. Resonant with contemporary views concerning the importance of prescribed burning for managing fuel loads, the act of undertaking extensive Indigenous landscape burning can also be understood as an obligation for 'cleaning up the country' (Jones 1980; Haynes 1985; Pyne 1991; Lewis 1994).

Remarkably, the emergence of contemporary institutional approaches to prescribed burning in Australia only slightly preceded the belated recognition of the significance of Indigenous landscape fire management. In south-western Australia, several high-intensity fires in valuable northern jarrah (*Eucalyptus marginata*) forest in the late 1950s, followed by the devastating fires of 1961, catalysed development of broad-scale fuel reduction burning techniques (Rodger 1961), including aerial ignition applications (Underwood 2015), building on the pioneering fire behaviour research of Alan McArthur (1962). Since that time, significant advances have been and continue to be made in our understanding of landscape fire management requirements, including the following influential compendia: *overviews and perspectives* – national: Luke and McArthur (1978), Pyne (1991), Cary *et al.* (2003), AFAC (2016); regional – south-west Australia: Abbott and Burrows (2003); southern forests: Adams and Attiwill (2011); central Australia: Latz (2007); northern Australia: Dyer *et al.* (2001), Russell-Smith *et al.* (2009); *fire behaviour* – forests: Gould *et al.* (2007); grasslands: Cheney and Sullivan (2008); *fire ecology and biodiversity conservation* – Gill *et al.* (1981), Whelan (1995), Bradstock *et al.* (2002, 2012a), Abbott and Burrows (2003), Gill (2008).

Despite these evident advances in knowledge and understanding, the practical application of prescribed burning in Australia is increasingly administratively and logistically complex, often controversial, and climatically challenging, especially in high-fire-risk, more densely settled southern regions. The series of papers included in this special issue does not address the merits or otherwise of prescribed burning – we accept the lessons from antiquity and recent history that the use of prescribed fire in contemporary Australia is essential for addressing, although not always being able to deliver on,

reducing wildfire risks and meeting a variety of societal and environmental needs. Based on this collective experience, our purpose rather is to ask several fundamental adaptive management and monitoring questions: are we setting appropriate management targets? Can these targets and associated indicators be readily measured? Can we realistically deliver on those targets? And if so, what are the costs and/or trade-offs involved? As context for the special issue, the remainder of the present paper describes the development of current institutional arrangements underpinning prescribed burning policy in Australia, addresses an adaptive framework for guiding prescribed burning applications, and introduces the contributed papers and themes these address.

The development of institutionalised prescribed burning in Australia

Development of the modern era of prescribed burning in Australia has been described in various authoritative accounts, notably including RH (Harry) Luke and Alan McArthur's landmark 1978 *Bushfires in Australia* (Luke and McArthur 1978), and Stephen Pyne's (1991) contextual masterpiece, *Burning bush: a fire history of Australia*. The short summary following draws heavily on these works, along with other references as cited. Our focus here is particularly on southern Australia given the impact of those developments nationally.

Following the early colonial period, where often very extensive, but typically uncoordinated, burning was undertaken by early European colonists for land-clearing and pastoral management purposes, institutionalised approaches to fire management essentially can be traced to the formation of southern State-based forestry agencies in the early decades of the 1900s established for the purposes of securing, protecting and nurturing the natural forest estate and for developing plantation resources. Informed by then-current international forest fire management practice in other continental settings, over much of the ensuing period extending to the early 1960s, the major emphasis of forest fire management policy focused on attempted fire exclusion through systematic fire protection. From the start, however, it was increasingly recognised, at least by front-line fire control practitioners, that fire exclusion needed to be complemented with protective fire management practices including installation of firebreaks and burning of narrow strips between compartments, and later the broader application of 'controlled burning' to reduce forest floor fuel loads. Western Australia pioneered these early advances (and much prescribed burning expertise subsequently – see McCaw *et al.* 2003) where, from the mid-1920s, the then Conservator of Forests, Stephen Kessell, oversaw implementation of an extensive, often successful, program of 'controlled burning' that involved the setting of frequent low-intensity fires to reduce and 'clean up' fuels in south-western jarrah (*Eucalyptus marginata*) forests. However, practical implementation was limited by inadequate resources and lack of basic fire behaviour understanding. These issues would not be resolved in Western Australia until the mid-1960s (Underwood 2015).

However, forest resource protection proved (and has continued to prove) highly challenging given both the recurring advent of fires from surrounding, often little or unmanaged lands, and

regionally occasional but nationally numerous infernos that have erupted throughout the period of European settlement, especially in southern Australia under characteristic extreme fire weather conditions. Australian settler history and popular imagination is redolent with such holocausts; for illustrative example: Black Thursday, 6 February 1851, where perhaps a quarter of Victoria was burnt; Red Tuesday, 1 February 1898, which consumed large areas of Gippsland and the Otways in Victoria; Black Sunday, 14 February 1926, raging across the entire south-east mountain region from Canberra to Gippsland; Black Friday, 13 January 1939, including monstrous fires from South Australia to Canberra, but especially in mountainous Victoria; Dwellingup, Western Australia, 24 January 1961, which consumed the town as well as several other settlements in prime native forest; Black Tuesday, 7 February 1967, including one fire that incinerated suburbs in Hobart, Tasmania, leaving 62 people dead; Ash Wednesday, 16 February 1983, with over 200 bushfires extending from South Australia to Victoria leaving 75 people dead; Canberra–NSW–Victoria bushfires, January 2003, which collectively burnt over 20 000 km² including 70% of the ACT and into the western suburbs of Canberra; Black Saturday, 7 February 2009, involving 400 bushfires across Victoria leaving 180 people dead. Most recently, south-eastern Australia has experienced an extended period of bushfires in the austral spring and summer of 2019–20 that have caused unprecedented disruption to rural and urban communities and the economy, together with environmental damage on a massive scale (see [ABC 2020](#) for a recent summary at the time of writing – March 2020).

Commissions of enquiry relating to two of the above conflagrations are particularly pertinent here. The first of these, the report of the Royal Commission into the Black Friday 1939 fires overseen by Judge Leonard Stretton, proved to be a major reference point for subsequent reform. Stretton's considered but scathing report for the first time sanctioned the necessity for fuel reduction burning ([Stretton 1939](#)). In its aftermath, the report also catalysed the promulgation of new bushfire Acts in all Australian jurisdictions and ongoing development of organised volunteer bushfire brigades. The second report, overseen by Royal Commissioner Geoffrey Rodger in addressing the 1960–61 Western Australia bushfire season, reaffirmed the value of regular fuel reduction burning for decreasing fire intensity and forest damage, and assisting firefighting operations ([Rodger 1961](#); [McArthur 1962](#)). The report recommended that every endeavour be made to improve and extend controlled burning to ensure the maximum fire protection practicable. In support of that observation, subsequent experience in southwest Western Australia forests has demonstrated a strong inverse relationship between the annual extent of prescribed burning and wildfire occurrence ([Underwood *et al.* 1985](#)), with fuel reduction burning having a detectable effect on the incidence and extent of wildfire for up to 6 years ([Boer *et al.* 2009](#); [Burrows and McCaw 2013](#)).

Commencing in the 1950s, ongoing development of fuel reduction operations was assisted substantially by national applied fire research programs initiated under the then Forestry and Timber Bureau and the CSIRO. In particular, in the 1960s, reliability and broadacre expansion of the fuel reduction program in southern forested areas was made possible with two key

technical breakthroughs. The first of these advances was Alan McArthur's 1962 updated publication, *Control burning in eucalypt forest*, of his fire-danger rating tables that, for the first time, provided a rigorous quantitative tool based on extensive experimental burning under a range of fuel and fire weather conditions for predicting fire behaviour in operational settings. This advance, including the first iteration of practical handheld operational meters to predict fire behaviour under grassland ([McArthur 1966](#)) and eucalypt forest ([McArthur 1967](#)) 'Fire danger' conditions, heralded ongoing development of prescribed burning guides and fire spread models for grasslands (temperate, tropical and arid), eucalypt forests, shrublands and pine plantations (see [Cruz *et al.* 2015](#) for a comprehensive account).

The second key development concerned successful operational application of aerial ignition technology, first in Western Australia ([Baxter *et al.* 1966](#)), enabling the conducting of prescribed burning across extensive areas, including in wet sclerophyll karri forests from 1969 ([Underwood 2015](#)). In 1967, the ACT and NSW conducted large-scale aerial ignition trials in rugged terrain in the Brindabella Ranges and demonstrated that low-intensity fire could also be applied successfully in steep terrain. However, broad-scale prescribed burning in the eastern States under steep topographic conditions is typically difficult given erratic weather conditions, particularly in spring, compared with the relatively benign terrain and fire climate of south-west Western Australia. Subsequently, Victoria developed a helicopter-based ignition delivery system that has been found to provide greater flexibility and accuracy for aerial ignition, particularly for flying contour ignition lines ([Underwood 2015](#)). Helicopter-based ignition is widely implemented in northern Australian prescribed burning operations ([Dyer *et al.* 2001](#)).

By the 1970s, prescribed burning operations focused on fuel (or 'hazard') reduction had achieved a high level of technical proficiency as well as being supported by highly organised rural fire agencies in all jurisdictions ([McCaw *et al.* 2003](#); [Morgan *et al.* in press](#)). [Luke and McArthur \(1978\)](#) estimated that, by the mid-1970s, rural firefighting volunteers numbered ~300 000 nationally. In part as response to growing societal awareness and concerns relating to prescribed burning (e.g. [Australian Conservation Foundation \(ACF\) 1970](#); [Fire Ecology Symposium \(FES\) 1970](#)), the 1960s and 1970s also saw growing attention given to understanding the ecological effects of burning on Australian biota and ecosystems. Australia's first code of practice for fire management on public land was introduced in Victoria in 1965, with updated versions, including for ecological burning purposes, continuing to be developed including for other jurisdictions. Today, our understanding of the ecological effects of fire regimes has developed substantially (e.g. [Gill *et al.* 1981](#); [Whelan 1995](#); [Bradstock *et al.* 2002, 2012a](#); [Abbott and Burrows 2003](#)). In turn, this has required fire managers to address the twin challenges of delivering the primacy of community protection (as reinforced in recent Commissions of Inquiry, e.g. [Teague *et al.* 2010](#); [Keelty 2011](#)), while simultaneously meeting expectations to conserve biodiversity and sustain natural environmental processes. The relative importance placed on these multiple objectives by the community at large and those responsible for delivering fire management continues to fuel vigorous debate (e.g. [Pyne 2006](#); [Penman *et al.* 2011](#); [Bradstock *et al.* 2012b](#); [Attiwill and Adams 2013](#); [Burrows and McCaw 2013](#)).

Reflecting the general decline of the rural agricultural sector, by 2003 rural bushfire volunteer numbers had shrunk to ~214 000 (McLennan and Birch 2005), slightly more than official numbers of rural agency volunteers recorded on respective websites as at January 2019. This decline in rural volunteer support is indicative also of fundamental changes and challenges to institutionally sanctioned fire management: the massive decline in the status and resources of forest management agencies; the burgeoning urbanisation of Australian society (where, already by the 1980s, 85% of the population were metropolitan residents); associated changes in societal and cultural aesthetic values; increasing popularity for residing in and fragmentation of high fire-risk peri-urban landscapes (often supported by inappropriate local government regulatory provisions); growing awareness of broader ecological, smoke, precarious water resource, Indigenous cultural burning and community risk fire management requisites and complexities; and ultimately, especially in south-eastern Australia, diminishing political will and support for prescribed fuel reduction activities in the face of polarised community positions (Pyne 1991, 2006; Adams and Attiwill 2011; Burrows and McCaw 2013; Enright and Fontaine 2014; Morgan *et al.* in press).

In 2020, these challenges pose significant questions for all who are concerned with delivering effective protective and ecologically sustainable fire management:

- How much or little burning is enough (e.g. Teague *et al.* 2010)? – or is it the case that we need to move on from generic area-based targets to location-specific risk-based assessments and strategic zoning approaches informed by contemporary predictive fire behaviour and ecological modelling tools (e.g. Victoria Department of Sustainability and Environment 2012; Burrows and McCaw 2013; Howard *et al.* 2020; Morgan *et al.* in press)?
- How do we address the public perceptions of residents living in extreme fire hazard situations, especially in the leafy fringes of our major cities, that fuel reduction burning has little or no value – when, in fact, except for terrifying instances where infernos, once unleashed, explode through eucalypt canopies and spot kilometres in advance under catastrophic fire weather conditions, substantial evidence is available to show that, to the contrary, pre-emptive prescribed burning is typically effective in reducing fire intensity and aiding fire suppression activities (e.g. Billing 1981; Underwood *et al.* 1985; Grant and Wouters 1993; McCarthy and Tolhurst 1998, 2001; Fernandes and Botelho 2003; Cheney 2010; Tolhurst and McCarthy 2016; Underwood 2018; Morgan *et al.* in press)?
- How do we make the case, and garner necessary political support for, resourcing the broader implementation of preventative and sustainable fire management in the face of ever-increasing investment in and reliance on expensive suppression activities and assets (e.g. water bombers) – especially given the exacerbating realities of diminishing seasonal opportunities for safe and appropriate implementation of prescribed fuel reduction and ecological burning, and deteriorating fire weather conditions generally (Lucas *et al.* 2007; Keelty 2012; Clarke *et al.* 2013; Hughes and Steffen 2014; Hughes and Alexander 2017; Dowdy 2018; McCaw 2018; Dowdy *et al.* 2019; Morgan *et al.* in press)?




Fig. 1. A widely used schematic illustrating key components of the adaptive management and monitoring cycle.

- How do we better inform and engage with the wider Australian community, and provide appropriate support for those who generously give their time (and sometimes risk their lives) in undertaking essential prescribed fire management, mitigation and control activities?

Continuous adaptive management and monitoring

It is a widely accepted tenet of contemporary landscape fire management practice that the adaptive management and monitoring cycle is an essential requirement for systematically guiding, evaluating and revising management performance (Fig. 1). However, in Australia, despite official recognition of the importance of setting measurable prescribed fire and associated risk management targets and implementing formal performance review processes (e.g. AFAC 2016, 2017), the extent to which this is effectively undertaken by state-based fire management agencies and other practitioners remains equivocal (AFAC 2014) – and, as demonstrated by the papers included in this special issue, is conceptually, practically and continuously challenging.

The papers included here were solicited from colleagues currently involved with researching a variety of prescribed burning activities and issues in different parts of Australia – mostly supported at least in part by Australia's Bushfire and Natural Hazards Cooperative Research Centre. Although the topics covered and geographical settings are diverse, respectively they explore different aspects of the adaptive management and monitoring cycle.

In establishing a national precedent, for the State of Western Australia, Howard *et al.* (2020) describe the development of a comprehensive adaptive management and monitoring framework, albeit untested, for prioritising prescribed burning targets and indicators on public lands throughout that vast state. For relatively densely settled south-east Queensland, and the very sparsely settled rangelands covering two-thirds of Australia,

Elliott *et al.* (2020) and Russell-Smith *et al.* (2020) respectively utilise contemporary fire history mapping products to explore the extent to which targets and indicators, even if loosely defined, currently are being met. Both papers identify practical measures and means for enhancing monitoring, evaluation and implementation delivery.

Three papers present insightful regional case studies for defining and assessing measurable community- and ecological-based targets and indicators. For the Otway Ranges region in southern Victoria, Gazzard *et al.* (2020) describe a thorough structured community engagement approach to ‘identify a fuel management strategy that maximises outcomes for social, economic and environmental objectives, while minimising costs’. After over a decade of implementing commercial landscape-scale ‘savanna burning’ greenhouse gas emissions projects on Indigenous lands in Arnhem Land in the Northern Territory, two contributions assess the extents to which those projects are respectively satisfying cultural aspirations and ecological criteria. Utilising explicit land-use planning goals for five regional projects, Ansell *et al.* (2020) show that, despite annual variability in meeting management targets, cultural aspirations are being substantially met. For the longest-running savanna burning project, covering 28 000 km² of western Arnhem Land, Evans and Russell-Smith (2020) demonstrate that, although the regional fire regime has transitioned from wildfire- to now management-dominated and most ecological criteria have improved, substantial ecological challenges remain.

The remaining four papers present modelling simulations to explore the application and cost-effectiveness of prescribed burning treatments for mitigating wildfire risks to assets in southern Australian contexts. For the Sydney region, Price and Bedward (2020) describe a computationally simple and efficient wildfire risk planning procedure to ‘quantify and map the probability of fires reaching the vicinity of assets in a wildfire prone region [based on] extending a statistical fire spread model developed on historical fire patterns’. Cirulis *et al.* (2020) apply the Phoenix fire simulator (widely used in south-eastern Australia for predicting fire behaviour) and Bayesian networking to contrast the differential effects of prescribed burning treatment rate on mitigating wildfire risks to assets in wildland–urban interface settings centred on Canberra (Australian Capital Territory) and Hobart (Tasmania). Extending that assessment, Penman and Cirulis (2020) compare potential costs and impacts on assets of different fuel management approaches in the surrounding Canberra region, concluding that the current proposed fuel treatment approach provides ‘the greatest reduction in risk and the most cost-effective approach to managing fuels in this landscape’. Finally, Florec *et al.* (2020) model the costs and benefits associated with different landscape and wildland–urban interface fire management treatments on public lands in the south-west of Western Australia. Their critical assessment concludes that, in most cases, prescribed burning treatments focused on the wildland–urban interface do not provide the most economically efficient strategy.

The above papers provide a sample illustration of the diversity of approaches currently being taken in different Australian regions to address complex adaptive management and monitoring challenges posed by, and associated with, the application of prescribed burning in diverse societal and

environmental settings. As noted, the magnitude of these challenges is set to increase markedly in the decades ahead given ongoing urbanisation, accountability requirements and deteriorating climatic conditions. Equally, adaptive fire management and monitoring will require us to continuously ask: are we setting appropriate management targets? Can these targets and associated indicators be readily measured? Can we realistically deliver on those targets? And if so, what are the costs and/or trade-offs involved?

Conflicts of interest

The authors declare that they have no conflicts of interest.

Acknowledgements

We thank numerous colleagues for ideas covered in the chapter, but especially Neil Burrows, Roger Underwood, Phil Cheney and Gary Morgan who commented on early drafts. The paper was developed originally out of discussions with colleagues involved with the Prescribed Burning Cluster of the Bushfire and Natural Hazards Cooperative Research Centre.

References

- Abbott I (2003) Aboriginal fire regimes in south-west Western Australia: evidence from historical documents. In ‘Fire in ecosystems in south-west Western Australia: impacts and management’. (Eds I Abbott, N Burrows) pp. 119–146. (Backhuys: Leiden, The Netherlands)
- Abbott I, Burrows N (Eds) (2003) ‘Fire in ecosystems in south-west Western Australia: impacts and management.’ (Backhuys Publishers: Leiden, The Netherlands)
- ABC (Australian Broadcasting Corporation) (2020) The size of Australia’s bushfire crisis captured in five big numbers. Podcast: Sum of All Parts, 5 March 2020. Available at <https://www.abc.net.au/news/science/2020-03-05/bushfire-crisis-five-big-numbers/12007716> [verified 23 March 2020]
- ACF (Australian Conservation Foundation) (1970) ‘Bushfire control and conservation.’ (Australian Conservation Foundation: Melbourne, Vic., Australia)
- Adams M, Attiwill PM (2011) ‘Burning issues: sustainability and management of Australia’s southern forests.’ (CSIRO Publishing: Melbourne, Vic., Australia)
- AFAC (Australasian Fire and Emergency Service Authorities Council) (2014) Review of best practice for prescribed burning. Report for National Burning Project: sub-project 4. AFAC Ltd and Forest Fire Management Group (FFMG). (Melbourne, Vic., Australia)
- AFAC (2016) ‘National position on prescribed burning.’ (AFAC Ltd: Melbourne, Vic., Australia)
- AFAC (2017) ‘Objectives, monitoring and evaluation framework for prescribed burning.’ (AFAC Ltd: Melbourne, Vic., Australia)
- Ansell J, Evans J, Adjumarllar Rangers, Arafura Swamp Rangers, Djelk Rangers, Jawoyn Rangers, Mimal Rangers, Numbulwar Numburindi Rangers, Warddeken Rangers, Yirralka Rangers, Yugul Mangi Rangers (2020) Contemporary Aboriginal savanna burning projects in Arnhem Land: a regional description and analysis of the fire management aspirations of Traditional Owners. *International Journal of Wildland Fire* **29**, 371–385. doi:10.1071/WF18152
- Attiwill P, Adams MA (2013) Mega-fires, inquiries and politics in the eucalypt forests of Victoria, south-eastern Australia. *Forest Ecology and Management* **294**, 45–53. doi:10.1016/J.FORECO.2012.09.015
- Baxter JR, Packham DR, Peet GB (1966) ‘Control burning from aircraft.’ (CSIRO Chemistry Research Laboratory: Melbourne)
- Benson JS, Redpath PA (1997) The nature of pre-European native vegetation in south-eastern Australia: a critique of Ryan, DG, Ryan, JR and Starr, BJ (1995) The Australian landscape – observations of explorers and early settlers. *Cunninghamia* **5**, 285–328.

- Billing P (1981) Effectiveness of fuel-reduction burning: five case histories. Fire Management Research Report No. 10. (Forests Commission: Melbourne, Vic., Australia)
- Bird DW, Bliege Bird R, Parker C (2005) Aboriginal burning regimes and hunting strategies in Australia's Western Desert. *Human Ecology* **33**, 443–464. doi:10.1007/S10745-005-5155-0
- Bliege Bird R, Bird DW, Codding BF, Parker CH, Jones RH (2008) The 'fire stick' farming hypothesis: Australian Aboriginal foraging strategies, biodiversity and anthropogenic fire mosaics. *Proceedings of the National Academy of Sciences of the United States of America* **105**, 14796–14801. doi:10.1073/PNAS.0804757105
- Bliege Bird R, Codding BF, Kauhaugen PG, Bird DW (2012) Aboriginal hunting buffers climate-driven fire-size variability in Australia's spinifex grasslands. *Proceedings of the National Academy of Sciences of the United States of America* **109**, 10287–10292. doi:10.1073/PNAS.1204585109
- Boer MM, Sadler RJ, Wittkuhn R, McCaw L, Grierson PF (2009) Long-term impacts of prescribed burning on regional extent and incidence of wildfires – evidence from fifty years of active fire management in SW Australian forests. *Forest Ecology and Management* **259**, 132–142. doi:10.1016/J.FORECO.2009.10.005
- Bowman DMJS (1998) The impact of Aboriginal landscape burning on the Australian biota. *New Phytologist* **140**, 385–410. doi:10.1046/J.1469-8137.1998.00289.X
- Bowman DMJS, Garde M, Saulwick A (2001) *Kunj-ken makka manwurrk* – Fire is for kangaroos: interpreting Aboriginal accounts of landscape burning in central Arnhem land. In 'Histories of old ages: essays in honour of Rhys Jones'. (Eds A Anderson, I Lilley, S O'Connor) pp. 61–78. (Pandanus Books: Canberra, ACT, Australia)
- Bowman DMJS, Walsh A, Prior LD (2004) Landscape analysis of Aboriginal fire management in central Arnhem Land, northern Australia. *Journal of Biogeography* **31**, 207–223. doi:10.1046/J.0305-0270.2003.00997.X
- Bradstock RA, Williams JE, Gill AM (Eds) (2002) 'Flammable Australia: the fire regimes and biodiversity of a continent.' (Cambridge University Press: Cambridge, UK)
- Bradstock RA, Gill AM, Williams RJ (Eds) (2012a) 'Flammable Australia: fire regimes, biodiversity and ecosystems in a changing world.' (CSIRO Publishing: Melbourne, Vic., Australia)
- Bradstock RA, Williams RJ, Gill AM (2012b) Future fire regimes of Australian ecosystems: new perspectives on enduring questions of management. In 'Flammable Australia: fire regimes, biodiversity and ecosystems in a changing world' (Eds RA Bradstock, RJ Williams, AM Gill) pp. 307–324. (CSIRO Publishing: Melbourne, Vic., Australia)
- Braithwaite RW (1991) Aboriginal fire regimes of monsoonal Australia in the 19th Century. *Search* **22**, 247–249.
- Burrows N, McCaw L (2013) Prescribed burning in south-western Australian forests. *Frontiers in Ecology and the Environment* **11**, e25–e34. doi:10.1890/120356
- Burrows ND, Burbidge AA, Fuller PJ, Behn G (2006) Evidence of altered fire regimes in the Western Desert region of Western Australia. *Conservation Science Western Australia* **5**, 272–284.
- Cary GJ, Lindenmayer DB, Dovers S (Eds) (2003) 'Australia burning: fire ecology, management and policy issues.' (CSIRO Publishing: Melbourne, Vic., Australia)
- Cheney P, Sullivan A (2008) 'Grassfires: fuel, weather and fire behaviour, 2nd Edn.' (CSIRO Publishing: Melbourne, Vic., Australia)
- Cheney NP (2010) Fire behaviour during the Pickering Brook wildfire – January 2005 (Perth Hills Fires 71–80). *Conservation Science Western Australia* **7**, 451–468.
- Cirulis B, Clarke H, Boer M, Penman T, Price O, Bradstock R (2020) Quantification of inter-regional differences in risk mitigation from prescribed burning across multiple management values. *International Journal of Wildland Fire* **29**, 414–426. doi:10.1071/WF18135
- Clarke H, Lucas C, Smith P (2013) Changes in Australian fire weather between 1973 and 2010. *International Journal of Climatology* **33**, 931–944. doi:10.1002/JOC.3480
- Clarkson C, Jacobs Z, Marwick B, Fullagar R, Wallis L, Smith M, Roberts RG, Hayes E, Lowe K, Carah X, Florin SA, McNeil J, Cox D, Arnold LJ, Hua Q, Huntley J, Brand HEA, Manne T, Fairbairn A, Shulmeister J, Lyle L, Salinas M, Page M, Connell K, Park G, Norman K, Murphy T, Pardoe C (2017) Human occupation of northern Australia by 65,000 years ago. *Nature* **547**, 306–310. doi:10.1038/NATURE22968
- Cohen TJ, Jansen JD, Gliganic LA, Larsen JR, Nanson GC, May J, Jones BG, Price DM (2015) Hydrological transformation coincided with megafaunal extinction in central Australia. *Geology* **43**, 195–198. doi:10.1130/G36346.1
- Crawford IM (1982) Traditional Aboriginal resources in the Kalumburu area: aspects in ethno-economics. *Records of the Western Australian Museum*, Supplement No. 15. (Western Australian Museum: Perth). Available at <http://museum.wa.gov.au/research/records-supplements/records/traditional-aboriginal-plant-resources-kalumburu-area-aspects-e> [Verified 20 March 2020]
- Crowley GM, Garnett ST (2000) Changing fire management in the pastoral lands of Cape York Peninsula of north-east Australia, 1623 to 1996. *Australian Geographical Studies* **38**, 10–26. doi:10.1111/1467-8470.00097
- Cruz MG, Gould JS, Alexander ME, Sullivan AL, McCaw WL, Matthews S (2015) Empirical-based models for predicting head-fire rate of spread in Australian fuel types. *Australian Forestry* **78**, 118–158. doi:10.1080/00049158.2015.1055063
- Dowdy AJ (2018) Climatological variability of fire weather in Australia. *Journal of Applied Meteorology and Climatology* **57**, 221–234. doi:10.1175/JAMC-D-17-0167.1
- Dowdy AJ, Ye H, Pepler A, Thatcher M, Osbrough SL, Evans JP, Di Virgilio G, McCarthy M (2019) Future changes in extreme weather and pyroconvection risk factors for Australian wildfires. *Scientific Reports* **9**, 10073. doi:10.1038/S41598-019-46362-X
- Dyer R, Jacklyn P, Partridge I, Russell-Smith J, Williams RJ (Eds) (2001) 'Savanna burning: understanding and using fire in northern Australia.' (Tropical Savannas Cooperative Research Centre: Darwin, NT, Australia)
- Elliott M, Lewis T, Venn T, Srivastava S (2020) Planned and unplanned fire regimes on public land in south-east Queensland. *International Journal of Wildland Fire* **29**, 326–338. doi:10.1071/WF18213
- Enright NJ, Fontaine JB (2014) Climate change and the management of fire-prone vegetation in south-west and south-east Australia. *Geographical Research* **52**, 34–44. doi:10.1111/1745-5871.12026
- Ens E-J, Walsh F, Clarke P (2017) Aboriginal people and Australia's vegetation: past and current interactions. In 'Australian vegetation (3rd edn)'. (Ed. DA Keith) pp. 89–112. (Cambridge University Press: Cambridge, UK)
- Evans J, Russell-Smith J (2020) Delivering effective savanna fire management for defined biodiversity conservation outcomes: an Arnhem Land case study. *International Journal of Wildland Fire* **29**, 386–400. doi:10.1071/WF18126
- Fensham RJ (1997) Aboriginal fire regimes in Queensland, Australia: analysis of the explorers' record. *Journal of Biogeography* **24**, 11–22. doi:10.1111/J.1365-2699.1997.TB00046.X
- Fernandes PM, Botelho HS (2003) A review of prescribed burning effectiveness in fire hazard reduction. *International Journal of Wildland Fire* **12**, 117–128. doi:10.1071/WF02042
- FES (Fire Ecology Symposium) (1970) Symposium papers presented at the second Fire Ecology Symposium: held at Monash University, Melbourne, Vic., 28 November, 1970. (Forests Commissions of Victoria, and Monash University: Melbourne, Vic., Australia)
- Flannery TM (1994) 'The future eaters.' (Reed Books: Sydney, NSW, Australia)

- Florec V, Burton M, Pannell D, Kelso J, Milne G (2020) Where to prescribed burn: the costs and benefits of prescribed burning close to houses. *International Journal of Wildland Fire* **29**, 440–458. doi:10.1071/WF18192
- Gammage W (2011) 'The biggest estate on Earth: how Aborigines made Australia.' (Allen & Unwin: Sydney, NSW, Australia)
- Garde M, Nadjamerrek LB, Kolkiwarra M, Kalarriya J, Djandjomerr J, Birriyabirriya B, Bilindja R, Kubarkku M, Biless P (2009) The language of fire: seasonality, resources and landscape burning on the Arnhem Land Plateau. In 'Culture, ecology and economy of savanna fire management in northern Australia: rekindling the Wurrk tradition'. (Eds J Russell-Smith, PJ Whitehead, PM Cooke) pp 85–164. (CSIRO Publishing: Melbourne, Vic. Australia)
- Gazzard T, Walshe T, Galvin P, Salkin O, Baker M, Cross B, Ashton P (2020) What is the 'appropriate' fuel management regime for the Otway Ranges, Victoria, Australia? Developing a long-term fuel management strategy using the structured decision-making framework. *International Journal of Wildland Fire* **29**, 354–370. doi:10.1071/WF18131
- Gill AM (2008) Underpinnings of fire management for biodiversity conservation in reserves. Research Report 73. Department of Sustainability and Environment. (Melbourne, Vic., Australia)
- Gill AM, Groves RH, Noble IR (Eds) (1981) 'Fire and the Australian biota.' (Australian Academy of Science: Canberra, ACT, Australia)
- Gott B (2005) Aboriginal fire management in south-eastern Australia: aims and frequency. *Journal of Biogeography* **32**, 1203–1208. doi:10.1111/J.1365-2699.2004.01233.X
- Gould J, McCaw L, Cheney NP, Ellis PF, Knight IK, Sullivan AL (2007) 'Project Vesta. Fire in dry eucalypt forest: fuel structure, fuel dynamics and fire behaviour.' (CSIRO, Canberra ACT and Department of Environment and Conservation Western Australia, Perth, WA).
- Gould RA (1971) Uses and effects of fire among the Western Desert Aborigines of Australia. *Mankind* **8**, 14–24.
- Grant S, Wouters M (1993) The effect of fuel reduction burning on the suppression of four wildfires in western Victoria. Fire Research Report No. 4. Department of Conservation and Natural Resources. (Melbourne Vic., Australia)
- Hallam SJ (1975) 'Fire and hearth: a study of Aboriginal usage and European usurpation in south-western Australia.' (Australian Institute of Aboriginal Studies: Canberra, ACT, Australia)
- Haynes CD (1985) The pattern and ecology of *munwag*: traditional Aboriginal fire regimes in north-central Arnhem Land. *Proceedings of the Ecological Society of Australia* **13**, 203–214.
- Howard T, Burrows N, Smith T, Daniel G, McCaw L (2020) A framework for prioritising prescribed burning on public land in Western Australia. *International Journal of Wildland Fire* **29**, 314–325. doi:10.1071/WF19029
- Hughes L, Alexander D (2017) Earlier, more frequent, more dangerous: bushfires in New South Wales. Climate Council of Australia Ltd. Available at <https://www.climatecouncil.org.au/uploads/02401b8a369a37c7763b3c2b4171a517.pdf> [Verified 20 March 2020]
- Hughes L, Steffen W (2014) 'Be prepared: climate change and the ACT bushfire threat.' (Climate Council of Australia: Sydney, NSW, Australia)
- Johnson CN, Alroy J, Beeton NJ, Bird MI, Brook BW, Cooper A, Gillespie R, Hernando-Perez S, Jacobs Z, Miller GH, Prideaux GJ, Roberts RG, Rodriguez-Rey M, Salter F, Turney CSM, Bradshaw CJA (2016) What caused extinction of the Pleistocene megafauna of Sahul? *Proceedings of the Royal Society Series B* **283**, 20152399. doi:10.1098/RSPB.2015.2399
- Jones R (1969) Fire-stick farming. *Australian Natural History* **16**, 224–228.
- Jones R (1975) The Neolithic, Palaeolithic and the hunting gardeners: Man and land in the Antipodes. In 'Quaternary studies'. (Eds RP Suggate, MM Cresswell) pp. 21–34. (The Royal Society of New Zealand: Wellington, New Zealand)
- Jones R (1980) Hunters in the Australian coastal savanna. In 'Ecology in savanna environments'. (Ed. D Harris) pp. 107–146. (Academic Press: London, UK)
- Jurskis V (2015) 'Firestick ecology: fair dinkum science in plain English.' (Connor Court Publishing: Redland Bay, Qld, Australia)
- Keelty MJ (2011) 'A shared responsibility: the report of the Perth Hills bushfire – February 2011 review.' (Government of Western Australia: Perth, WA, Australia)
- Keelty MJ (2012) 'Appreciating the risk: report of the Special Inquiry into the November 2011 Margaret River bushfire.' (Government of Western Australia: Perth, WA, Australia)
- Kimber R (1983) Black lightning: Aborigines and fire in central Australia and the Western Desert. *Archaeology in Oceania* **18**, 38–45. doi:10.1002/ARCO.1983.18.1.38
- Latz PK (1995) Bushfires and bushtucker: Aboriginal plant use in central Australia.' (IAD Press: Alice Springs, NT, Australia)
- Latz P (2007) 'The flaming desert: arid Australia – a fire-shaped landscape.' (Peter Latz: Alice Springs, NT, Australia)
- Lewis HT (1994) Management fires vs. corrective fires in northern Australia: an analogue for environmental change. *Chemosphere* **29**, 949–963. doi:10.1016/0045-6535(94)90162-7
- Lucas C, Hennessy K, Mills GA, Bathols J (2007) Bushfire weather in south-east Australia: recent trends and projected climate change impacts. Bushfire Cooperative Research Centre. (Melbourne, Vic., Australia). doi:10.25919/5E31C82EE0A4C
- Luke RH, McArthur AG (1978) 'Bushfires in Australia.' (Australian Government Publishing Service: Canberra, ACT, Australia)
- McArthur AG (1962) Control burning in eucalypt forest. Forestry and Timber Bureau Leaflet 80. Commonwealth Department of National Development. (Canberra, ACT, Australia)
- McArthur AG (1966) Weather and grassland fire behaviour. Forestry and Timber Bureau Leaflet 100. Commonwealth Department of National Development. (Canberra, ACT, Australia)
- McArthur AG (1967) Fire behaviour in eucalypt forests. Forestry and Timber Bureau Leaflet 107. Commonwealth Department of National Development. (Canberra, ACT, Australia)
- McCarthy GJ, Tolhurst KG (1998) Effectiveness of firefighting first attack operations by the Department of Natural Resources and Environment from 1991/92–1994/95. Fire Management Research Report No. 45. Department of Natural Resources and Environment. (Melbourne, Vic., Australia)
- McCarthy GJ, Tolhurst KG (2001) Effectiveness of broadscale fuel reduction burning in assisting with wildfire control in parks and forests in Victoria. Fire Management Research Report No. 51. Department of Natural Resources and Environment. (Melbourne, Vic., Australia)
- McCaw L (2018) Understanding the changing fire environment of south-west Western Australia. In Understanding the changing fire environment of south-west Western Australia. In 'Advances in forest fire research'. (Ed. DX Viegas) pp. 173–182. (University of Coimbra: Portugal). doi:10.14195/978-989-26-16-506_17
- McCaw L, Cheney P, Sneeuwjagt R (2003) Development of a scientific understanding of fire behaviour and use in south-west Western Australia. In 'Fire in ecosystems of south-west Western Australia: impacts and management'. (Eds I Abbott, N Burrows) pp. 171–187. (Backhuys Publishers: Leiden, The Netherlands)
- McGregor S, Lawson V, Christophersen P, Kennett R, Boyden J, Bayliss P, Liedloff A, McKaige B, Andersen AN (2010) Indigenous wetland burning: conserving natural and cultural resources in Australia's World Heritage-listed Kakadu National Park. *Human Ecology* **38**, 721–729. doi:10.1007/S10745-010-9362-Y
- McKemei M, Ens E, Yugal Mangi Rangers, Costello O, Reid N (2020) Indigenous knowledge and seasonal calendar inform adaptive savanna burning in northern Australia. *Sustainability* **12**, 995. doi:10.3390/SU12030995

- McLennan J, Birch A (2005) Recruiting and retaining Australia's volunteer firefighters. Bushfire Cooperative Research Centre. (Melbourne, Vic., Australia) Available at <https://www.bushfirecrc.com/sites/default/files/managed/resource/enhancingvolunteerism.pdf> [verified 23 March 2020]
- Miller GH, Fogel ML, Magee JW, Gagan MK, Clarke JS, Johnson BJ (2005a) Ecosystem collapse in Pleistocene Australia and a human role in megafaunal extinction. *Science* **309**, 287–290. doi:10.1126/SCIENCE.1111288
- Miller GH, Mangan J, Pollard D, Thompson S, Felzer B, Magee J (2005b) Sensitivity of the Australian monsoon to insolation and vegetation: implications for human impact on continental moisture balance. *Geology* **33**, 65–68. doi:10.1130/G21033.1
- Mitchell TL (1848) 'Journal of an expedition into the interior of tropical Australia in search of a route from Sydney to the Gulf of Carpentaria.' (Longman, Brown, Green and Longmans: London, UK)
- Morgan GW, Tolhurst KG, Poynter MW, Blanks T, Cooper N, McGuffog T, Ryan R, Wouters M, Stephens N, Black P, Sheehan D, Leeson P, Whight S (in press) A history of prescribed burning in south-eastern Australia. *Australian Forestry*.
- Nicholson PH (1981) Fire and the Australian Aborigine – an enigma. In 'Fire and the Australian biota'. (Eds AM Gill, RH Groves, IR Noble) pp. 55–76. (Australian Academy of Sciences: Canberra, ACT, Australia)
- Pascoe B (2014) 'Dark emu, black seeds: agriculture or accident?' (Magabala Books: Broome, WA, Australia)
- Penman TD, Cirulis BA (2020) Cost effectiveness of fire management strategies in southern Australia. *International Journal of Wildland Fire* **29**, 427–439. doi:10.1071/WF18128
- Penman TD, Christie FJ, Andersen AN, Bradstock RA, Cary GJ, Henderson MK, Price OF, Tran C, Wardle GM, Williams RJ, York A (2011) Prescribed burning: how can it work to conserve the things we value? *International Journal of Wildland Fire* **20**, 721–733. doi:10.1071/WF09131
- Preece N (2002) Aboriginal fires in monsoonal Australia from historical accounts. *Journal of Biogeography* **29**, 321–336. doi:10.1046/J.1365-2699.2002.00677.X
- Price GJ, Webb GE, Zhao J, Feng Y, Murray AS, Cooke BN, Hocknull SA, Sobbe IH (2011) Dating megafaunal extinction of the Pleistocene Darling Downs, eastern Australia: the promise and pitfalls of dating as a test of extinction hypotheses. *Quaternary Science Reviews* **30**, 899–914. doi:10.1016/J.Quascirev.2011.01.011
- Price OF, Bedward M (2020) Using a statistical model of past wildfire spread to quantify and map the likelihood of fire reaching assets and prioritise fuel treatments. *International Journal of Wildland Fire* **29**, 401–413. doi:10.1071/WF18130
- Pyne SJ (1991) 'Burning bush: a fire history of Australia.' (University of Washington Press: Seattle, WA, USA)
- Pyne SJ (2006) 'The still-burning bush.' (Scribe Publications: Melbourne, Vic., Australia)
- Rodger GJ (1961) 'Report of the Royal Commission on the bushfires of December 1960 and January, February and March 1961 in Western Australia.' (Western Australia Government Printer: Perth, WA, Australia)
- Russell-Smith J, Lucas D, Gapindi M, Gunbunuka B, Kapirigi N, Namin-gum G, Lucas K, Giuliani P, Chaloupka G (1997) Aboriginal resource utilization and fire management practice in western Arnhem Land, monsoonal northern Australia: notes for prehistory and lessons for the future. *Human Ecology* **25**, 159–195. doi:10.1023/A:1021970021670
- Russell-Smith J, Yates CP, Edwards A, Allan GE, Cook GD, Cooke P, Craig R, Heath B, Smith R (2003) Contemporary fire regimes of northern Australia: change since Aboriginal occupancy, challenges for sustainable management. *International Journal of Wildland Fire* **12**, 283–297. doi:10.1071/WF03015
- Russell-Smith J, Whitehead PJ, Cooke PM (Eds) (2009) 'Culture, ecology and economy of savanna fire management in northern Australia: rekindling the Wurrk tradition.' (CSIRO Publishing: Melbourne, Vic., Australia)
- Russell-Smith J, Edwards AC, Sangha K, Yates CP, Gardener M (2020) Challenges for prescribed fire management in Australia's fire-prone rangelands – the example of the Northern Territory. *International Journal of Wildland Fire* **29**, 339–353. doi:10.1071/WF18127
- Sakaguchi S, Bowman DMJS, Prior LD, Crisp MD, Linde CC, Tsumura Y, Isagi Y (2013) Climate, not Aboriginal landscape burning, controlled the historical demography and distribution of fire-sensitive conifer populations across Australia. *Proceedings of the Royal Society Series B* **280**, 20132182. doi:10.1098/RSPB.2013.2182
- Saltré F, Rodriguez-Rey M, Brook BW, Johnson CN, Turney CSM, Alroy J, Cooper A, Beeton N, Bird MI, Fortham DA, Gillespie R, Hermendo-Perez S, Jacobs Z, Miller GH, Nogues-Bravo D, Prideaux GJ, Roberts RG, Bradshaw CJA (2016) Climate change not to blame for Late Quaternary megafauna extinction in Australia. *Nature Communications* **7**, 10511. doi:10.1038/NCOMMS10511
- Singh G, Kershaw AP, Clark R (1981) Quaternary vegetation and fire history in Australia. In 'Fire and the Australian biota'. (Eds AM Gill, RH Groves, IR Noble) pp. 23–54. (Australian Academy of Science: Canberra, ACT, Australia)
- Smith MA (2013) 'The archaeology of Australia's deserts.' (Cambridge University Press: Cambridge, UK)
- Stretton LEB (1939) 'Report of the Royal Commission to inquire into the causes of and measures taken to prevent the bush fires of January, 1939.' (Government Printer, Government of Victoria: Melbourne, Vic. Australia)
- Teague B, McLeod R, Pascoe S (2010) '2009 Victorian bushfires Royal Commission final report.' (Parliament of Victoria: Melbourne, Vic., Australia)
- Thomson DF (1949) 'Economic structure and the ceremonial exchange cycle in Arnhem Land.' (Macmillan: Melbourne, Vic., Australia)
- Tolhurst KG, McCarthy G (2016) Effect of prescribed burning on wildfire severity: a landscape-scale case study from the 2003 fires in Victoria. *Australian Forestry* **79**, 1–14. doi:10.1080/00049158.2015.1127197
- Underwood R (2015) 'Fire from the sky.' (York Gum Publishing: Perth, WA, Australia)
- Underwood R (2018) 'Cyclone Alby: memories of the 1978 Western Australian storm and bushfire crisis.' (York Gum Publishing: Perth, WA, Australia)
- Underwood RJ, Sneeuwjagt RJ, Styles HG (1985) The contribution of prescribed fire to forest fire control in Western Australia: case studies. In 'Symposium on fire ecology and management in Western Australian ecosystems, 10–11 May 1985, Perth, WA'. (Ed Ford JR). Report No. 14. pp. 153–170. (WAIT Environmental Studies Group: Perth, WA, Australia)
- Victoria Department of Sustainability and Environment (2012) 'Code of practice for bushfire management on public land.' (Government of Victoria: Melbourne, Vic., Australia)
- Vigilante T (2001) Analysis of explorers' records of Aboriginal landscape burning in the Kimberley region of Western Australia. *Australian Geographical Studies* **39**, 135–155. doi:10.1111/1467-8470.00136
- Vigilante T, Murphy BP, Bowman DMJS (2009) Aboriginal fire use in Australian tropical savannas: ecological effects and management lessons. In 'Tropical fire ecology'. (Ed MA Cochrane) pp. 143–169. (Springer Praxis Books: Berlin and Heidelberg)
- Whelan RJ (1995) 'The ecology of fire.' Cambridge Studies in Ecology. (Cambridge University Press: Cambridge, UK)
- Williams AN, Ulm S, Turney CSM, Rohde D, White G (2015) Holocene demographic changes and the emergence of complex societies in prehistoric Australia. *PLoS One* **10**, e0128661. doi:10.1371/JOURNAL.PONE.0128661
- Wroe S, Field JH, Archer M, Grayson DK, Price GJ, Louys J, Tyler Faith J, Webb GE, Davidson I, Mooney SD (2013) Climate change frames debate

- over the extinction of megafauna in Sahul (Pleistocene Australia–New Guinea). *Proceedings of the National Academy of Sciences of the United States of America* **110**, 8777–8781. doi:10.1073/PNAS.1302698110
- Yibarbuk D (1998) Notes on traditional use of fire on the upper Cadell River. In 'Burning questions: ongoing environmental issues for indigenous peoples in northern Australia'. (M Langton) pp. 1–16. (Northern Territory University: Darwin)
- Yibarbuk D, Whitehead PJ, Russell-Smith J, Jackson D, Godjuwa C, Fisher A, Cooke P, Choquenot D, Bowman DMJS (2001) Fire ecology and aboriginal land management in central Arnhem Land, northern Australia: a tradition of ecosystem management. *Journal of Biogeography* **28**, 325–344. doi:10.1046/J.1365-2699.2001.00555.X